

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:
Kiyoshi Nishio et al.

Patent No.: 7,067,981

Issued: June 27, 2006

For: COMPACT FLUORESCENT LAMP, SELF-
BALLASTED FLUORESCENT LAMP AND
LUMINAIRE

**REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 CFR 1.322**


Attention: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted a patent office error which should be corrected.

In the Related U.S. Application Data:

Please delete "(62) Division of application No. 09/996,314, filed on Nov. 28, 2001, now Pat. No. 6,781,315, which is a division of application No. 09/242,227, filed on Feb. 11, 1999. and (60) Provisional application No. PCT/JP98/02556, filed on Jun. 10, 1998, now Pat. No. 6,437,502" and substitute with -- (62) Division of application No. 09/996,314, filed on Nov. 28, 2001, now Pat. No. 6,781,315, which is a division of application No. 09/242,227, filed on Feb. 11, 1999, now U.S. Patent No. 6,437,502, which is a National Stage of International Application PCT/JP98/02556, filed 6/10/1998 --.

{W:\09450\100k665us5\00807188.DOC  }

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,067,981
APPLICATION NO. : 10/807,078
ISSUE DATE : June 27, 2006
INVENTOR(S) : Kiyoshi Nishio et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Related U.S. Application Data:

Please delete “(62) Division of application No. 09/996,314, filed on Nov. 28, 2001, now Pat. No. 6,781,315, which is a division of application No. 09/242,227, filed on Feb. 11, 1999. and (60) Provisional application No. PCT/JP98/02556, filed on Jun. 10, 1998, now Pat. No. 6,437,502” and substitute with -- (62) Division of application No. 09/996,314, filed on Nov. 28, 2001, now Pat. No. 6,781,315, which is a division of application No. 09/242,227, filed on Feb. 11, 1999, now U.S. Patent No. 6,437,502, which is a National Stage of International Application PCT/JP98/02556, filed 6/10/1998 --.

MAILING ADDRESS OF SENDER:

Flynn Barrison
DARBY & DARBY P.C.
P.O. Box 5257
New York, New York 10150-5257

Express Mail Label No.

Dated: _____

Docket No.: 09450/100K665-US5
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
Kiyoshi Nishio et al.

Application No.: Not Yet Assigned

Art Unit: 2821

Filed: Concurrently Herewith

Examiner: J. T. Vu

For: **COMPACT FLUORESCENT LAMP, SELF-
BALLASTED FLUORESCENT LAMP AND
LUMINAIRE**

FIRST PRELIMINARY AMENDMENT

MS Patent Application
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

INTRODUCTORY COMMENTS

Prior to examination on the merits, please amend the above-identified U.S. patent application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 3 of this paper.

Remarks/Arguments begin on page 6 of this paper.

{W:\09450\100k665us5\00155192.DOC / 00155192.DOC }

AMENDMENTS TO THE CLAIMS

Claims 1-25 (canceled)

Claim 26 (new) A self-ballasted fluorescent lamp comprising:

an arc tube formed by parallelly arranging a plurality of U-shaped bent bulbs in such a manner that the maximum width of the bulbs ranges from about 32 mm to about 42 mm, each of which has a bent portion and straight portions;

a cover including a base that is adapted to permit said ~~are~~^{ap} tube to be attached thereto;

a lighting circuit which includes a circuit board having the maximum width ranging up to 1.2 times the maximum width of the arc tube, said maximum width of the arc tube being the dimension along which the U-shaped bent bulbs are arranged, said lighting circuit contained in the cover in such a manner that the circuit board is positioned with one of its sides facing all the ends of the straight portions of the ^{ARC}~~arc~~ tube;

a globe attached to the cover and enclosing the arc tube having a diameter and a base end;

a first dimension being a distance between the globe and each crown of the arc tube;

a second dimension being a distance between the diameter of the globe and the arc tube;

and

a third dimension being a distance between the base end of the globe and the arc tube,

wherein the second dimension is greater than the first dimension when the first dimension is greater than or equal to the third dimension.

said lighting circuit further includes a ballast choke connected to the main inverter main circuit so as to light the arc tube in stable conditions and;

said lighting circuit further includes a control means which has a secondary winding magnetically connected to the ballast choke and shared by the N-channel transistor and the P-channel transistor so that the control means serves to control the transistors by means of the secondary winding.

Claim 33 (new) A luminaire including a self-ballasted fluorescent lamp as in claim 26.

REMARKS

This application is a continuation application claiming priority to Application Serial No. 09/996,314, filed November 28, 2001.

New Claims 26-33 are pending in this application. Claims 1-25 have been cancelled. No new matter is added.

Entry of this amendment is respectfully requested prior to the examination of this application.

Dated: March 22, 2004

Respectfully submitted,

By Louis J. DelJuice
Louis J. DelJuice
Registration No.: 47,522
DARBY & DARBY P.C.
P.O. Box 5257
New York, New York 10150-5257
(212) 527-7700
(212) 753-6237 (Fax)
Attorneys/Agents For Applicant